
Commercial Lighting Catalogue

Hosen Lighting

Downlights · Spotlights · Track & 48V Magnetic Systems · Linear, Plaster & LED Drivers · OEM



Selected series from an 824-series library · hosenlight.com

About Hosen

Hosen Lighting is a commercial lighting factory based in Zhongshan, China. We manufacture downlights, spotlights, track lights and 48V magnetic track systems for projects, and supply fit-out companies, interior contractors, lighting designers and project-based distributors worldwide.

This catalogue presents a selected range from our 824-series library. Every series is identified by its code (for example QV-3220) — quote the code on WhatsApp and we will send full specifications, options and project pricing.

What we make

Spotlights (97) · Downlights (42) · SMD downlights (9) · Surface-mounted (18) · Recessed / trimless (70) · Grille lights (9) · Wall washers (34) · Trimless plaster-in (6) · Magnetic track lights (181) · Track lights (31) · Linear lights & profiles (24) · LED drivers, power supplies & strips (45) · Plaster trimless lights (258).

Dimming & control

DALI · Zigbee · Tuya · Bluetooth Mesh · 0–10V · TRIAC — available across the range, specified per project.

OEM & private label

OEM and private-label production is available: custom finishes, packaging and labelling to your specification.

Certification & export experience

CE certified. Export experience to Malaysia, Singapore and the United Arab Emirates.

How to use this catalogue

Wattages follow the recommended range of each series; the figure shown is the starting wattage of each size. Sizes and cut-outs are in millimetres. For the complete library of 824 series, visit hosenlight.com.

Spotlights

Recessed, adjustable and fixed-focus COB spotlights for accent, display and task lighting. Selected highlights from 97 series in this category — full range at hosenlight.com.



QV-3413

Recessed adjustable COB spotlight — metallic grey

All-aluminium recessed COB spotlight in a metallic-grey finish — modular kit build with a full anti-light-leak structure, stepped 15° / 24° / 36° / 55° beam adjustment and nine reflector-cup finishes.

Sizes: Ø65×H80 – Ø120×H125 mm · 18 sizes
Cut-out: Ø55 · Ø75 · Ø95 mm
Power: 5W / 8W / 10W / 12W / 15W / 20W
Beam angle: 15° / 24° / 36° / 55°
Beam angle: 15° · 24° · 36° · 55°
Finishes: White, Black, Matte white +6 more



QV-3210

COB spotlight

Sizes: Ø70×H69 · Ø85×H78 · Ø112×H116 mm
Cut-out: Ø60 · Ø75 · Ø95 mm
Power: 5W / 10W / 15W
Beam angle: 15° · 24° · 38°
Finishes: White, Black



QV-3217

COB Two-tone spotlight

Sizes: Ø90×H56 – Ø230×H100 mm · 7 sizes
Cut-out: Ø75–Ø200 mm · 7 sizes
Beam angle: 13° / 24° / 38° / 60°
Power: from 10W
Beam angle: 13° · 24° · 38° · 60°



QV-3220

Spotlight

Sizes: Ø60×H35mm – Ø220×H75mm · 8 sizes
Cut-out: Ø55–Ø200 mm · 8 sizes
Power: 3–35W
Beam angle: 60°
Finishes: Natural, Red, White +5 more



XL-9101

Die-Cast Reflector Spotlight

Sizes: 90×75 · 110×95 · 165×145 mm
Cut-out: Ø75 · Ø95 · Ø145 mm
Power: 7W / 10W / 30W
Beam angle: 24°
Finishes: Matte white, Sand black

Spotlights — continued



QV-3221
Slim COB spotlight
Sizes: 46 – 112 mm · 6 sizes
Cut-out: Ø60 · Ø75 · Ø100 mm
Power: 5W / 7W / 18W
Beam angle: 10° / 20° / 30°
Beam angle: 10° · 20° · 30°



QV-3216
COB spotlight
Sizes: Ø90×H56 – Ø230×H100 mm · 7 sizes
Cut-out: Ø75–Ø200 mm · 7 sizes
Beam angle: 13° / 24° / 38° / 60°
Power: from 10W
Beam angle: 13° · 24° · 38° · 60°



QV-3223
COB Premium spotlight
Sizes: 30 · 108 mm
Cut-out: Ø95 mm
Power: 10W
Beam angle: 10° / 20° / 30°
Beam angle: 10° · 20° · 30°



QV-3225
COB Premium spotlight
Sizes: 33 – 158 mm · 8 sizes
Cut-out: Ø75 · Ø95 · Ø120 · Ø140 mm
Power: 5W / 10W / 15W / 25W
Beam angle: 15° / 24° / 36° / 60°
Beam angle: 15° · 24° · 36° · 60°

Downlights

Recessed downlights from compact residential sizes to large high-power commercial formats. Selected highlights from 42 series in this category — full range at hosenlight.com.



QV-3227

Downlight

Downlight — the photo set shows the housing, reflector and finish options in this series.

Sizes: 98×29mm – 230×29mm · 6 sizes
Power: 5–24W
Cut-out: Ø50–55 · Ø70–75 · Ø80–90 · Ø90–100 · Ø110–120 · Ø135–145 · Ø145–160 · Ø190–200 mm
Beam angle: 60°



QV-3231

IP65 waterproof downlight

Power: from 10W
Cut-out: Ø75 · Ø95 · Ø120 mm
Beam angle: 20° · 40°
Sizes: Ø65 mm
Finishes: White, Matte silver, Black +5 more



JK-7457

Downlight

Range: 12 models
Power: 9–18W
Finishes: Grey, White



QV-3241

COB downlight

Sizes: Ø98×H45 – Ø232×H62 mm · 7 sizes
Cut-out: Ø70–Ø205 mm · 7 sizes
Power: 3–30W
Finishes: Matte white
Beam angle: 60°



JK-7456

Downlight

Sizes: 60 – 130 mm · 4 sizes
Cut-out: Ø95 mm
Power: from 12W
Beam angle: 15° · 24° · 36° · 55°
Finishes: Grey, White

SMD downlights

SMD downlights with wide, even light distribution for general illumination. Selected highlights from 9 series in this category — full range at hosenlight.com.



QV-3235

SMD Two-tone downlight

Downlight with an SMD light source and two-tone housing options.

Sizes: Ø90×H56mm – Ø230×H100mm · 7 sizes
Cut-out: Ø75–Ø200 mm · 7 sizes
Power: 10–50W
Beam angle: 60°
Finishes: Bright silver, Black, White +5 more



QV-3246

SMD downlight

Sizes: Ø60×H35mm – Ø220×H75mm · 8 sizes
Cut-out: Ø55–Ø200 mm · 8 sizes
Power: 3–35W
Beam angle: 60°



QV-3234

SMD downlight

Power: from 10W
Cut-out: Ø75 · Ø80 · Ø95 · Ø120 · Ø145 · Ø160 · Ø200 mm
Beam angle: 60°
Sizes: Ø90×H56 · Ø95×H60 · Ø105×H64 · Ø130×H72



QV-3242

SMD downlight

Sizes: Ø98×H45mm – Ø232×H62mm · 7 sizes
Cut-out: Ø70–Ø205 mm · 7 sizes
Power: 3–24W
Beam angle: 60°
Finishes: Natural



QV-3417

Recessed SMD downlight

Sizes: Ø90×H37 – Ø230×H52 · 7 sizes
Cut-out: Ø75–Ø200 mm · 7 sizes
Power: 10–50W
Finishes: 9 finishes

Surface-mounted

Surface-mounted downlights — no ceiling cut-out needed, ideal for concrete ceilings and retrofits. Selected highlights from 18 series in this category — full range at hosenlight.com.



QV-3437

Surface-mounted lens downlight

Downlight with surface mounting — no ceiling cut-out needed, and a full lens front for wide, even light.


Sizes: Ø74×H70 – Ø199×H91 · 6 sizes
Power: 10–50W
Beam angle: 60°
Finishes: White, Black, Gun black +1 more



QV-3436

Surface-mounted downlight

Sizes: Ø74×H70 – Ø199×H91 · 6 sizes
Power: 8–36W
Beam angle: 60°
Finishes: White, Black, Gun black +1 more



QV-3260

Surface-mounted sensor light

Power: from 8W
Cut-out: Ø75 mm
Beam angle: 60°
Sizes: Ø85×H59 · Ø93×H113
Finishes: White



JK-7437

Surface-mounted COB downlight

Power: from 15W
Beam angle: 24° · 36° · 55°
Sizes: Ø95 mm
Finishes: Matte white, Matte black, Bright silver +2 more



JK-7435

Surface-mounted downlight

Power: from 10W
Sizes: Ø75 mm
Finishes: Black, White

Recessed / trimless

Trimless and deep anti-glare recessed downlights and spotlights for a clean ceiling line. Selected highlights from 70 series in this category — full range at hosenlight.com.



QV-3362

Trimless Adjustable luminaire series

Luminaire series with a trimless plaster-in frame and an adjustable, tilting head.


Sizes: Ø110×H78 – Ø172×H117 · 7 sizes
Cut-out: Ø65 · Ø85 · Ø105 mm
Power: 5–25W
Beam angle: 8° · 15° · 24° · 38° · 55°
Finishes: White, Black, Matte white +6 more



BN-5239

Recessed anti-glare downlight

Sizes: 64×76mm – 135×111mm · 4 sizes
Power: 7W / 12W / 18W / 30W
Cut-out: Ø55 · Ø75 · Ø95 · Ø120-125 · Ø125 mm
Beam angle: 15° · 24° · 36° · 50°
Finishes: Mist silver, Matte white, Matte black +3 more



BN-5257

Anti-glare downlight

Sizes: 62×76mm · 83×88mm · 105×105mm
Power: 10W / 15W / 20W
Beam angle: 15° · 24° · 36°
Finishes: Matte white, Matte black, Mist silver +3 more



BN-5235

Recessed anti-glare downlight

Sizes: 61×82mm – 155×149mm · 8 sizes
Power: 5–45W
Cut-out: Ø55 · Ø65 · Ø75 · Ø85 · Ø95 · Ø120-125 · Ø125 · Ø140-145 · Ø145 mm
Beam angle: 15° · 24° · 36° · 50°
Finishes: Matte black




BN-5262

Adjustable recessed spotlight

Sizes: 85×75mm – 104×106mm · 10 sizes
Power: 7W / 12W / 20W
Cut-out: Ø55 · Ø75 · Ø95 · Ø98 · Ø150 mm
Beam angle: 15° · 24° · 36° · 50°
Finishes: Black, White, Mist silver +5 more

Recessed / trimless — continued



BN-5247
Recessed anti-glare downlight
Sizes: 90×60mm – 202×98mm · 6 sizes
Power: 12–50W
Cut-out: Ø75-80 · Ø75-85 · Ø80 · Ø95-100 · Ø100 · Ø120-125 · Ø125 · Ø145-150 · Ø150 · Ø165-170 · Ø170 · Ø185-190 · Ø190 mm
Beam angle: 50°
Finishes: Matte black, Gun black, Bright silver



BN-5127
Recessed anti-glare downlight
Sizes: 83×65mm – 180×85mm · 5 sizes
Power: 15W / 22W / 30W / 40W / 45W
Cut-out: Ø75 · Ø95 · Ø120 · Ø145 · Ø165 mm
Beam angle: 55°
Finishes: Matte black, White, Black +1 more



BN-5265
Recessed anti-glare downlight
Sizes: 64×60mm – 135×115mm · 9 sizes
Power: 5–35W
Cut-out: Ø55 · Ø75 · Ø95 · Ø120-125 · Ø125 mm
Beam angle: 15° · 24° · 36°
Finishes: Gun black, Bright silver



BN-5117
Recessed downlight
Sizes: 84×71mm – 202×98mm · 5 sizes
Power: 12W / 18W / 24W / 40W / 50W
Cut-out: Ø55 · Ø75 · Ø95 mm
Beam angle: 15° · 24° · 36° · 50°
Finishes: Red, Orange, Rose gold +9 more



BN-5230
Recessed downlight
Sizes: 90×45mm – 165×60mm · 4 sizes
Power: 12W / 18W / 24W / 35W
Cut-out: Ø75-80 · Ø80 · Ø95-100 · Ø100 · Ø120-125 · Ø125 · Ø145-150 mm
Beam angle: 36° · 50°
Finishes: Sand white, Sand black

Grille lights

Single and multi-cell grille lights for low-glare accent lighting in retail and hospitality. Selected highlights from 9 series in this category — full range at hosenlight.com.



QV-3341

Square grille light

Grille light with a multi-cell grille for low-glare light and a square format.


Finishes: Rose gold
Power: from 10W
Cut-out: L75×W75 · L160×W75 · L250×W75 · L95×W95 · L205×W95 · L310×W95 · L120×W120 · L255×W120 · L380×W120 mm
Beam angle: 15° · 30° · 45°
Sizes: L92×W92×H59 · L175×W92×H59 · L258×W92×H59 · L120×W120×H71



QV-3252

Surface-mounted grille light

Sizes: Ø83×H50 · Ø103×H63 mm
Power: 5W / 12W
Cut-out: Ø75 · Ø95 mm
Beam angle: 24° · 45°
Finishes: White, Black, Matte black +5 more



QV-3262

Grille light

Sizes: Ø85×H34mm – Ø220×H34mm · 5 sizes
Cut-out: Ø75–Ø200 mm · 5 sizes
Power: 10W / 18W / 20W / 30W / 40W
Beam angle: 24° · 45°
Finishes: White, Matte silver, Black +4 more



QV-3287

COB grille light

Power: from 5W
Cut-out: L60×W60 · L75×W75 · L100×W100 · L120×W120 · L125×W60 · L155×W75 · L205×W100 · L250×W120 · L195×W60 · L245×W75 · L310×W100 · L380×W120 · L130×W130 · L160×W160 · L210×W210 · L250×W250 mm
Beam angle: 15° · 24° · 38°
Sizes: 70×70×H65 · 92×92×H71 · 92×92×H77 · 92×92×H93
Finishes: Natural



QV-3441

Surface-mounted grille spotlight

Sizes: Ø89×H100 · Ø109×H100 mm
Power: 8W / 14W
Beam angle: 15° · 24° · 36°
Finishes: White, Black, Matte white +6 more

Wall washers

COB wall washers with dedicated wall-wash optics for even vertical illumination. Selected highlights from 34 series in this category — full range at hosenlight.com.



QV-3349

COB wall-washer

Wall-washer with a wall-washing optic and a COB light source.

Sizes: Ø65×H75 – Ø105×H120 mm · 7 sizes
Cut-out: Ø55 · Ø75 · Ø95 mm
Power: from 7W
Beam angle: 15° · 24° · 38°



QV-3299

COB wall-washer

Sizes: Ø90×H65 – Ø90×H138 · 5 sizes
Power: 5W / 7W / 10W / 15W / 20W
Cut-out: Ø75 mm
Beam angle: 15° · 25° · 38° · 60°
Finishes: Black, White



QV-3266

COB wall-washer

Sizes: Ø65×H72 – Ø105×H122 mm · 7 sizes
Cut-out: Ø55 · Ø75 · Ø95 mm
Power: 5–25W
Finishes: Bright silver, Black, White, Matte silver
Beam angle: 60°



QV-3302

Trimless Adjustable wall-washer

Power: from 5W
Cut-out: Ø55 · Ø75 · Ø95 mm
Beam angle: 15° · 24° · 38°
Sizes: Ø80×H70 · Ø80×H85 · Ø100×H76 · Ø100×H83
Finishes: White, Black, Gun black +5 more



QV-3265

Wall-washer

Sizes: Ø67×H83 – Ø108×H132 mm · 7 sizes
Cut-out: Ø55 · Ø75 · Ø95 mm
Power: 5W / 8W / 7W / 10W / 18W / 25W
Beam angle: 15° / 24° / 38°
Finishes: Matte silver, White, Black, Champagne gold

Trimless plaster-in

Plaster-in trimless fittings that disappear into the ceiling finish. Selected highlights from 6 series in this category — full range at hosenlight.com.



QV-3289

Trimless Plaster-in wall-washer

Wall-washer with a trimless plaster-in frame and a plaster-in (mud-in) mounting frame.

Sizes: Ø74×H75mm – Ø114×H120mm · 7 sizes
Power: 5–25W
Cut-out: Ø55 · Ø75 · Ø95 mm
Beam angle: 60°
Finishes: Bright silver, Black, White +5 more



QV-3213

Trimless Adjustable spotlight

Sizes: 65 – 172 mm · 6 sizes
Power: from 5W
Cut-out: Ø65 · Ø85 · Ø105 mm
Beam angle: 60°



QV-3296

Trimless Plaster-in wall-washer

Sizes: Ø74×H72mm – Ø114×H122mm · 7 sizes
Power: 5–25W
Cut-out: Ø55 · Ø75 · Ø95 mm
Beam angle: 60°
Finishes: Bright silver, Black, White +5 more



QV-3295

Trimless COB wall-washer

Power: from 7W
Cut-out: Ø80 · L165×W85 · L250×W85 · L165×W165 mm
Beam angle: 60°
Sizes: L146×W73×H76 · L146×W73×H79 · L146×W73×H95 · L159×W134×H76



QV-3319

Plaster-in Adjustable wall-washer

Sizes: 95 · 114 mm
Cut-out: Ø55 · Ø75 · Ø95 mm

Magnetic track lights

Magnetic track systems in 48V and 24V — snap-in spot, grille, flood and linear modules that reposition by hand, no tools. Selected highlights from 181 series in this category — full range at hosenlight.com.



QV-3434

48V magnetic track system

48V magnetic track system — snap-in linear, flood and folding grille modules on a single low-voltage track.

System: 48V DC
Modules: 37 models · 5–72W
CCT: 3000K · 4000K · 6000K
CRI: Ra≥95
Power: 5–72W



YH-2001

Round grille light — 20W · Ø156*32*68.5

Power: 20W
Size (mm): Ø156*32*68.5
Voltage: DC24V
CCT: 3000K/4000K/6000K
CRI: Ra>90



YH-2018

Folding cylinder spotlight — 5W · Ø45*20*85

Power: 5W
Size (mm): Ø45*20*85
Voltage: DC48V
CCT: 3000K/4000K/6000K
CRI: Ra>90



JL-2001

Ultra-thin magnetic track — 28.1 × 7.5 mm section · Surface

Section (mm): 28.1 × 7.5
Length: 1000 / 2000 / 3000 mm
Voltage: 12–48V
Mounting: Surface
Material: Aluminium



JL-2011

Concealed magnetic track — 72 × 52 mm section · Concealed

Section (mm): 72 × 52 (inner 38)
Length: 1000 / 2000 / 3000 mm
Voltage: 12–48V
Mounting: Concealed
Material: Aluminium

Magnetic track lights — continued




YH-2093
Folding cylinder spotlight — 5W · Ø30*11*50
Power: 5W
Size (mm): Ø30*11*50
Voltage: DC48V
CCT: 3000K/4000K/6000K
CRI: Ra>90



YH-2073
Mini spotlight — 1W · Ø15*8.3*35
Power: 1W
Size (mm): Ø15*8.3*35
Voltage: DC24V
CCT: 3000K/4000K/6000K
CRI: Ra>90



YH-2056
Rounded grille linear light — 6W · 121*20*30
Power: 6W
Size (mm): 121*20*30
Voltage: DC48V
CCT: 3000K/4000K/6000K
CRI: Ra>90



AL-1915
Magnetic Track Profiles
Range: 48 sizes
Material: Aluminium + PC



48V magnetic track system — installed view. Track lengths and driver options on request via WhatsApp.

Track lights

Track rails in two-, three- and four-wire formats, trunking systems and track spotlights for retail and gallery lighting. Selected highlights from 31 series in this category — full range at hosenlight.com.



XL-9129

Premium Die-Cast Track Light, Large Format

Track spotlight with a lens optic and a die-cast aluminium body with heatsink. 1 variant, beam 15° / 24° / 36° / 60°.

Sizes: 80×160 mm
Power: 30W
Beam angle: 15° / 24° / 36° / 60°
Finishes: Sand black, White



XL-9120

Multi-Wattage Profile Track Light

Sizes: 50×120 – 90×160 · 5 sizes
Power: 5W / 15W / 20W / 30W / 35W
Beam angle: 15° / 24° / 36°
Finishes: Sand black, White



XL-9125

Die-Cast Track Light

Sizes: 90×130 mm
Power: 25W
Beam angle: 15° / 24° / 36°
Finishes: Sand black, White



JL-2072

Trunking track rail — 60 × 20 mm section · Surface / Suspended

Section (mm): 60 × 20 (drawing 57.7 × 20.6)
Length: 1000 / 2000 / 3000 mm
Mounting: Surface / Suspended
Material: Aluminium
Colour: White / Black




JL-2079

Four-wire track rail — 32.2 × 32.7 mm section · Surface / Suspended

Section (mm): 32.2 × 32.7
Length: 1000 / 1500 / 2000 / 3000 mm
Mounting: Surface / Suspended
Material: Aluminium
Colour: White / Black

Linear lights & profiles

Aluminium profiles, silicone channels, grille linear lights, battens and panels for continuous lines of light. Selected highlights from 24 series in this category — full range at hosenlight.com.



AL-1901

Standard Linear Profiles

Aluminium linear profiles with PC diffuser for LED strip runs in ceilings, walls and joinery — 116 sizes, from 7.5 × 8.8 mm micro channels to 65 mm wide housings, plain and flanged versions included.

Range: 116 sizes
Material: Aluminium + PC



SI-1901

Silicone LED Channels


Range: 114 sizes
Material: Silicone



LN-2001

LED Linear Office Light


Range: 98 variants
Power: 18–172W
CCT: 3000/4000/6000K switchable · 6000K



QV-3278

Trimless grille linear light

Sizes: L93×W83×H64mm · L146×W83×H64mm · L278×W83×H64mm
Cut-out: Ø95 · Ø148 · Ø280 mm
Power: 3W / 5W / 10W
Beam angle: 60°
Finishes: Bright silver, Black, White +5 more



QV-3256

Surface-mounted grille linear light

Sizes: L137×W34×H54mm · L269×W34×H54mm · L402×W34×H54mm
Power: 10W / 20W / 30W
Beam angle: 15° · 24° · 38°
Finishes: Bright silver, Black, White +5 more

Linear lights & profiles — continued




AL-1902
Cove & Return-slot Profiles
Range: 162 sizes
Material: Aluminium + PC



LN-2002
LED Panel Light — Standard Slim
Range: 8 variants
Power: 18–58W



AL-1905
Office Linear Housings — 35 mm
Range: 34 sizes
Material: Aluminium + PC



AL-1903
Plaster-in Trimless Profiles
Range: 62 sizes
Material: Aluminium + PC



AL-1907
Bendable Custom Profiles
Range: 20 sizes
Material: Aluminium + PC

LED Drivers & Power Supplies

LED drivers and power supplies — smart dimming, constant-voltage, 48V magnetic-track, outdoor and transformer ranges — with the LED strip range shown on the following page. Selected highlights from 45 series in this category — full range at hosenlight.com.



PW-1901

Smart & Dimming Drivers

Smart and dimming LED drivers in five series: Bluetooth Mesh CCT drivers with Mijia app control, smart cabinet drivers with sensor options, wall-switch dimming masters and constant-voltage 2-in-1 dimming…

Range: 22 models
Power: 15–400W
Input: AC110-260V · AC170-260V · AC200-240V



PW-1902

Constant-voltage Drivers

Range: 31 models
Power: 18–500W



PW-1903

48V Magnetic Track Drivers

Range: 6 models
Power: 100–300W
Input: AC110-260V



PW-1904

Outdoor Drivers

Range: 21 models
Power: 36–1000W
Input: AC110-260V · AC170-260V · AC170-265V



PW-1905

AC Transformers

Range: 21 models
Power: 10–1000W
Input: AC110V/220V/380V

LED Drivers & Power Supplies — continued

LED strip range — flexible strips in OSRAM, Philips, domestic-chip and COB builds, with waterproof and colour options.



ST-2001
OSRAM-chip LED strip — 5 mm board

OSRAM-chip LED strip, 120 LEDs per metre on a 5 mm board, DC 24 V, eight CCT steps from 2200K to 6500K, Ra > 90, IP20. Made for indoor and outdoor wall-washing and contour lighting.

Power: 2–12W
Size: 1000 × 5 × 1.2 mm
Voltage: DC 24V
CCT: 2200–6500K
CRI: Ra>90



ST-2014
Waterproof LED strip — solid-filled, IP68

Power: 2–12W
Size: 1000 × 10 × 3.5 mm
Voltage: DC 24V
CCT: 2200–6500K
CRI: Ra>90



ST-2017
Philips-chip LED strip

Power: 4–12W
Size: 1000 × 8 × 1.2 mm
Voltage: DC 24V
CCT: 2700–6500K
CRI: Ra>90



ST-2025
COB LED strip — 320 chips/m

Power: 2–12W
Size: 1000 × 8 × 1.2 mm
Voltage: DC 24V
CCT: 2700–6000K
CRI: Ra>90



ST-2040
COB RGB LED strip

Power: 2–12W
Size: 1000 × 10 × 1.2 mm
Voltage: DC 24V
CCT: RGB
CRI: Ra>90

Plaster Trimless Lights

Cast-plaster trimless lights that plaster flush into ceilings and walls — downlights, wall lights, niches and decorative relief designs. Selected highlights from 258 series in this category — full range at hosenlight.com.




PL-2001

Square recessed plaster downlight — 120×120×60

Square recessed plaster downlight in cast plaster, plasters flush into the ceiling with no visible frame. Light source: GU10 / Ø50 module.

Size (mm): 120×120×60
Cut-out (mm): 125×125
Light source: GU10 / Ø50 module
Material: Plaster



PL-2057

Recessed ripple-panel plaster light — 200×200×100

Size (mm): 200×200×100
Cut-out (mm): 205×205
Light source: LED module
Material: Plaster



PL-2108

Recessed plaster wall light — 180×120×70

Size (mm): 180×120×70
Cut-out (mm): 185×125
Light source: GU10 / Ø50 module
Material: Plaster



PL-2184

Recessed plaster wall niche light — 140×135×282

Size (mm): 140×135×282
Cut-out (mm): 145×140×285
Light source: GU10
Material: Plaster



PL-2227


Decorative plaster relief light — 300×300×60

Size (mm): 300×300×60
Cut-out (mm): 305×305
Light source: COB LED strip 0.7 m, 8.5W
Material: Plaster

Plaster Trimless Lights — continued



PL-2004
Round recessed plaster downlight — 130×55
Size (mm): 130×55
Cut-out (mm): 130
Light source: GU10 / Ø50 module
Material: Plaster



PL-2058
Recessed ripple-panel plaster light — 300×300×100
Size (mm): 300×300×100
Cut-out (mm): 305×305
Light source: LED module
Material: Plaster



PL-2110
Recessed plaster wall light — 250×210×80
Size (mm): 250×210×80
Cut-out (mm): 255×215
Light source: GU10 / Ø50 module
Material: Plaster



PL-2185
Recessed plaster wall niche light — 150×130×210
Size (mm): 150×130×210
Cut-out (mm): 155×135×215
Light source: GU10
Material: Plaster



PL-2228
Decorative plaster relief light — 450×450×80
Size (mm): 450×450×80
Light source: COB LED strip 1.02 m, 10.5W
Material: Plaster



PL-1906
Light-source Modules
Range: 11 models
Power: 3–25W

Talk to us about your project

WhatsApp
+86 135 2762 8363

Website
https://hosenlight.com

Send us a series code (e.g. QV-3220) and your project details —
we will reply with full specifications, options and project pricing.